

# Overlaminates Resource Chart

Company	Product Name	Width(s)	Type	Finish
<b>3M Graphics</b> Market Center 3M Center Building 220-12E-04 St. Paul, MN 55144 800-328-3908 www.3M.com/graphics	3M Electrostatic High Gloss Interior Overlaminates 8930ES	36, 54"	Pressure-Sensitive	High Gloss
	3M Electrostatic Matte Interior Overlaminates 8931ES	36, 54"	Pressure-Sensitive	Matte
	3M Gloss Overlaminates 3640GPS	48"	Pressure-Sensitive	Gloss
	3M Scotchcal Gloss Overlaminates 8518	36, 54"	Pressure-Sensitive	Gloss
	3M Scotchcal High Gloss Overlaminates 639	24, 48"	Pressure-Sensitive	High Gloss
	3M Scotchcal Luster Overlaminates 3645	36, 48, 54"	Pressure-Sensitive	Luster
	3M Scotchcal Luster Overlaminates 8519	48.5, 54, 60"	Pressure-Sensitive	Luster
	3M Scotchcal Luster Overlaminates 8524	54"	Pressure-Sensitive	Luster
	3M Scotchcal Luster Overlaminates 8908	49"	Pressure-Sensitive	Luster
	3M Scotchcal Matte Overlaminates 3642GPS	48"	Pressure-Sensitive	Matte
	3M Scotchcal Matte Overlaminates 3647	48"	Pressure-Sensitive	Matte
	3M Scotchcal Matte Overlaminates 8520	48.5, 54, 60"	Pressure-Sensitive	Matte
	3M Scotchcal Matte Overlaminates 8909	36, 54"	Pressure-Sensitive	Matte
	3M Scotchcal Optically Clear Overlaminates 8914ES	36, 49.5, 54"	Pressure-Sensitive	Gloss
	3M Scotchcal Overlaminates 3648	48"	Pressure-Sensitive	Luster
	3M Scotchcal Ultra-Matte Overlaminates 8915ES	36, 49.5, 54"	Pressure-Sensitive	Ultra Matte
	Scotchgard Graphic and Surface Protection Film 8991	48"	Pressure-Sensitive	High Gloss
	Scotchgard Removable Graphic and Surface Protection film 8991R	48"	Pressure-Sensitive	High Gloss
<b>AGL, Inc</b> PO Box 8563 Madison, WI 53708 800-276-2664 www.aglinc.com	Cover-Rite P3G	25-76"	Thermal/Polyester	Gloss
	Cover-Rite P3L	25-76"	Thermal/Polyester	Lustre
	Cover-Rite P3M	25-76"	Thermal/Polyester	Matte
	Cover-Rite P5G	25-76"	Thermal/Polyester	Gloss
	Cover-Rite P5L	25-61"	Thermal/Polyester	Lustre
	Cover-Rite P5M	25-61"	Thermal/Polyester	Matte
	Cover-Rite P5T	25-51"	Thermal/Polyester	Textured
	Cover-Rite P10G	25-76"	Thermal/Polyester	Gloss
	Cover-Rite P10M	25-51"	Thermal/Polyester	Matte
	Cover-Rite P10T	25-51"	Thermal/Polyester	Textured
	Cover-Rite V6G	25-61"	Pressure-Sensitive/Vinyl	Gloss
	Cover-Rite V6L	25-61"	Pressure-Sensitive/Vinyl	Lustre
	Cover-Rite V6M	25-55"	Pressure-Sensitive/Vinyl	Matte
	Cover-Rite PC5T	25-55"	Pressure-Sensitive/PolyCarb	Textured
	Cover-Rite P10T	25-55"	Pressure-Sensitive/PolyCarb	Textured
	Cover-Rite PC15T	25-55"	Pressure-Sensitive/PolyCarb	Textured
Cover-Rite V5T	25-55"	Thermal/Vinyl	Textured	
Cover-Rite V7T	25-51"	Thermal/Vinyl	Textured	
<b>Avery Dennison Graphics &amp; Reflective Products Division</b> 250 Chester Street Painesville, OH 44077 800-443-9380 www.averygraphics.com	DOL 1000 Gloss Overlaminates	30, 36, 48, 54, 60"	Cast, Cold Pressure-Sensitive	Gloss
	DOL 1100 Matte Overlaminates	36, 48, 54"	Cast, Cold Pressure-Sensitive	Matte
	DOL 2000 Luster Overlaminates	30, 38, 44, 48, 54, 60"	Calendered, Cold Pressure-Sensitive	Luster
	DOL 2100 Gloss Overlaminates	30, 38, 44, 48, 54, 60"	Calendered, Cold Pressure-Sensitive	Gloss
	DOL 2200 Matte laminating film	30, 38, 44, 48, 54, 60"	Calendered, Cold Pressure-Sensitive	Matte
	DOL 4165 Perforated Overlaminates	48, 54"	Clear Polyester, Cold Pressure-Sensitive	Gloss
	DOL 4500 Perforated Window Film Overlaminates	48, 54"	Cast, Cold Pressure-Sensitive	Gloss
	DOL 5100 Anti-Graffiti Overlaminates	48, 54, 60"	Clear Polyester, Cold Pressure-Sensitive	Gloss

Company	Product Name	Width(s)	Type	Finish
CLEAR FOCUS Imaging, Inc. 60 Maxwell Court Santa Rosa, CA 95401 800-307-7990 www.clearfocus.com	ClearLam Optically Clear Overlamine for Perforated Window Film	36, 54"	Pressure-Sensitive (cold) polyester	Gloss
	CurvaLam Optically Clear Overlamine for Perforated Window Film	36, 54"	Pressure-Sensitive (cold), conformable, cast PVC	Gloss
Clearstar Coatings Corp. P.O. Box 40397 Charleston, SC 29423 888-253-2778 www.clearstarcorp.com	ClearShield	—	Liquid	Gloss, Semi Gloss, Matte
Coda Inc. 30 Industrial Ave. Mahwah, NJ 07430 201-825-7400 www.codamount.com	Canvas	up to 54" rolls, cut sheets up to 20x24"	Pressure-Sensitive	Textured
	E-lam	up to 60" rolls	Pressure-Sensitive	Semi-Gloss
	Glossy (Paper)	up to 54" rolls, cut sheets up to 20x24"	Pressure-Sensitive	High Gloss
	Glossy (Poly)	up to 54" rolls	Pressure-Sensitive	High Gloss
	Lustre	up to 60" rolls, cut sheets up to 20x24"	Pressure-Sensitive	Semi-Gloss
	Matte	up to 54" rolls, cut sheets up to 20x24"	Pressure-Sensitive	Matte
	Thermapro Gloss	38, 43, 51, 60"	Thermal – Low Melt	High Gloss film
	Thermapro Satin	38, 43, 51, 60"	Thermal – Low Melt	Satin
	Thermapro Sparkle	38, 51, 62"	Thermal – Low Melt	Textured
Creative Banner Assemblies 2730 Nevada Ave. N. Minneapolis, MN 55427 800-528-8846 www.creativebanner.com	Avery Gloss Cast Overlamine	36, 54"	Cold Laminate	Glossy Finish
DK Group Inc. 1795 Commerce Drive Elk Grove Village, IL 60007 847-956-0160 www.dkgroup.com	3milSemi-GlossCalendaredSolarGuardOverlamine	38, 41, 43 , 51, 54"	Pressure-Sensitive	Semi-Gloss
	Pressure-Sensitive Nylon Standard, 3, 5, 10mil	38, 41, 51, 61"	Pressure-Sensitive	Gloss, Matte
	Pressure-Sensitive OPP Standard, 3, 5, 10mil	38, 41, 51, 61"	Pressure-Sensitive	Gloss, Matte
	Pressure-Sensitive Polyester Standard, 3, 5, 10mil	38, 41, 51, 61"	Pressure-Sensitive	Gloss, Matte
	PVC Cast 2mil Overlamine	38, 41, 43 , 51, 54"	Pressure-Sensitive	Gloss
	SuperStick Linerless Heat-AssistVinylOverLamine	38, 41, 51, 61"	Low-Melt	Gloss,Matte,Luster,Velvet, Textured,Sandtex,Canvas

Company	Product Name	Width(s)	Type	Finish
Drytac 5383 Glen Alden Drive Richmond, VA 23231 800-280-6013 www.drytac.com	ArtShield Canvastex UV 5.0 mil	25.5, 51"	Heat-Set	EmbossedCanvasTexture Matte
	ArtShield Deep Textured Canvastex UV 10.0 mil	25.5, 51"	Heat-Set	Embossed Pronounced Canvas Texture
	ArtShield Emerytex UV 5.0 mil	25.5, 41, 51"	Heat-Set	Pebble Textured Matte
	ArtShield Glossy UV (vinyl) 4.6 mil	25.5, 51"	Heat-Set	Gloss
	ArtShield Gloss UV (polyester) 2.6 mil	25.5, 51"	Heat-Set	High-Gloss
	ArtShield Linentex UV 5.0 mil	25.5, 41, 51"	Heat-Set	Embossed Linen Texture Matte
	ArtShield Matt UV 4.0 mil	25.5, 41, 51"	Heat-Set	Dead Matte
	ArtShield Mattex UV 3.0 mil	25.5, 41, 51"	Heat-Set	Satin-Matte
	ArtShield Satinex UV 3.0 mil	25.5, 41, 51"	Heat-Set	Semi-Gloss
	Interlam EcoGloss 2.5 mil	38, 41, 51, 55"	Pressure-Sensitive(Cold Laminate)	Gloss
	Interlam EcoLustre 4.2 mil	38, 41, 51"	Pressure-Sensitive(Cold Laminate)	Luster
	Interlam EcoTex 6.6 mil	38, 41, 51"	Pressure-Sensitive(Cold Laminate)	Pebble Textured Satin
	Interlam Emerytex UV 5.0 mil	38, 41, 51"	Pressure-Sensitive(Cold Laminate)	Pebble Textured Matte
	Interlam Glossy UV 3.0 mil	38, 51"	Pressure-Sensitive(Cold Laminate)	Gloss
	Interlam Lustre UV 3.0 mil	38, 41, 51"	Pressure-Sensitive(Cold Laminate)	Luster
	Interlam Matt UV 4.0 mil	38, 41, 51"	Pressure-Sensitive(Cold Laminate)	Matte
	MediaShield Deep Textured Canvastex UV 10.0 mil	25.5, 51"	Heat-Set	Embossed Pronounced Canvas Texture
	MediaShield Emerytex UV 5.0 mil	38, 51, 55"	Heat-Set	Pebble Textured Matte
	MediaShield Gloss UV 2.5 mil	38, 51"	Heat-Set	High-Gloss
	MediaShield Matt UV 4.0 mil	25.5, 38, 41, 51, 55"	Heat-Set	Dead Matte
	MediaShield Mattex UV 3.0 mil	38, 41, 51, 55"	Heat-Set	Satin-Matte
	MediaShield Satinex UV 3.0 mil	38, 41, 51" 55"	Heat-Set	Semi-Gloss
	MHL Frost UV 6.0 mil	38, 51, 61"	Thermal	Embossed, Crystal Texture(Luster)

Company	Product Name	Width(s)	Type	Finish
Drytac 5383 Glen Alden Drive Richmond, VA 23231 800-280-6013 www.drytac.com	MHLGloss UV 3.0 mil	25, 38, 43, 51, 55, 61"	Thermal	High Gloss
	MHLGloss UV 5.0 mil	25, 38, 43, 51, 55, 61"	Thermal	High Gloss
	MHLGloss UV 10.0 mil	25, 38, 43, 51, 55, 61"	Thermal	High Gloss
	MHLGloss UV 15.0 mil	38, 51"	Thermal	High Gloss
	MHL Gloss (Standard Temperature) 1.7 mil	38, 51"	Thermal	High Gloss
	MHL Gloss (Standard Temperature) 3.0 mil	38, 51, 55"	Thermal	High Gloss
	MHL Impervo UV 5.0 mil	25, 38, 43, 51"	Thermal	Lustre/Matte
	MHL Impervo UV 10.0 mil	25, 38, 51"	Thermal	Lustre/Matte
	MHL Lustre UV 3.0 mil	25, 38, 43, 51, 55"	Thermal	Luster
	MHL Lustre UV 5.0 mil	25, 38, 43, 51, 55, 61"	Thermal	Luster
	MHL Matt UV 1.7 mil	51, 61"	Thermal	Matte
	MHL Matt UV 3.0 mil	25, 38, 43, 51, 55, 61"	Thermal	Matte
	MHL Quartz UV 5.0 mil	38, 51"	Thermal	Pebble textured (Luster/Matte)
	MHL Scribe UV 3.0 mil	25, 38, 43, 51"	Thermal	Dry-erase Gloss
	MHL UltiMatt 3.0 mil	41, 51"	Thermal	Dead Matte
	MHL UltiMatt 5.0 mil	41, 51"	Thermal	Dead Matte
	Protac Anti-graffiti UV 2.0 mil	51"	Pressure-Sensitive(Cold Laminates)	Satin
	Protac Antique Leather 4.0 mil	25.5", 51"	Pressure-Sensitive(Cold Laminates)	Embossed Leather Textured Semi-Matte
	Protac CanvasTex UV 5.0 mil	25.5", 51"	Pressure-Sensitive(Cold Laminates)	Embossed Canvas Texture
	Protac Deep Textured Canvastex UV 10.0 mil	25.5", 51"	Pressure-Sensitive(Cold Laminates)	Embossed Pronounced Canvas Texture
	Protac Emerytex UV 5.0 mil	25.5, 38, 41, 43, 51, 61"	Pressure-Sensitive(Cold Laminates)	Pebble Textured Matte
	Protac Glossy UV 4.2 mil	25.5, 38, 41, 51"	Pressure-Sensitive(Cold Laminates)	Gloss
	Protac Hearts UV 3.0 mil	25, 50"	Pressure-Sensitive(Cold Laminates)	Digitized Heart Effect
	Protac Hessian 5.0 mil	25.5, 51"	Pressure-Sensitive(Cold Laminates)	Heavy Canvas Textured Semi-Matte
	Protac High Gloss UV 5.0 mil	25.5, 38, 51"	Pressure-Sensitive(Cold Laminates)	High Gloss
	Protac Ice 5.0 mil	25.5, 51"	Pressure-Sensitive(Cold Laminates)	Textured Semi-Matte
	Protac Linentex UV 5.0 mil	25.5, 51"	Pressure-Sensitive(Cold Laminates)	Embossed Linen Texture
	Protac Lustre UV 4.2 mil	25.5, 38, 41, 43, 51, 61"	Pressure-Sensitive(Cold Laminates)	Luster
	Protac Matt UV 4.0 mil	25.5, 38, 41, 43, 51, 61"	Pressure-Sensitive(Cold Laminates)	Dead Matte
	Protac Polycarbonate UV 5.0 mil	38, 51, 60"	Pressure-Sensitive(Cold Laminates)	Pebble-Textured Velvet Matte
	Protac Polycarbonate UV 10.0 mil	38, 51, 60"	Pressure-Sensitive(Cold Laminates)	Pebble-Textured Velvet Matte
	Protac Polycarbonate UV 15.0 mil	38, 51, 60"	Pressure-Sensitive(Cold Laminates)	Pebble-Textured Velvet Matte
	Protac Scribe 2.5 mil	25.5, 38, 41, 51"	Pressure-Sensitive(Cold Laminates)	Dry-erase/Gloss
	Protac SheenTex UV 4.2 mil	38, 41, 51, 61"	Pressure-Sensitive(Cold Laminates)	Textured Satin/Luster
	Protac Sparkle UV 3.0 mil	25, 50"	Pressure-Sensitive(Cold Laminates)	Digitized Sparkle Effect
	Protac Steel 4.0 mil	25.5, 51"	Pressure-Sensitive(Cold Laminates)	Brushed Metal Semi-Matte
WeatherShield Cast Vinyl Laminate 3.0 mil	54, 60"	Pressure-Sensitive(Cold Laminates)	Super Clear Gloss	
WindowFX Permanent UV 5.0 mil	25.5, 38, 51"	Pressure-Sensitive(Cold Laminates)	Frosted Matte	
Window FX Removable UV 5.0 mil	20.5, 41, 51"	Pressure-Sensitive(Cold Laminates)	Frosted Matte	
Eastsign International Ltd. Rm 1818, 18/F., Shatin Galleria 18-24 Shan Mei Street, Fotan, Shatin, N.T. Hong Kong Tel: +852-21170098 Fax: +852-21170099 sales@eastsign.com sales_usa@eastsign.com www.eastsign.com	BU-II Series	15, 25, 37, 53, 60, 65, 75, 80"	Pressure-Sensitive (Low-End)	Gloss/Matte
	BU-RFZX Series	37, 53, 60, 86"	Thermal/Pressure-Sensitive	Gloss/Matte
	BU-ZD Series	37, 60"	Thermal/Pressure-Sensitive(Double-Side)	Gloss/Matte
	BU-ZJX Series	37, 53, 60, 65"	Pressure-Sensitive (High-End)	Gloss/Matte
	BU-WL Series	—	Liquid	Liquid Coating

Company	Product Name	Width(s)	Type	Finish
FLEXcon 1 FLEXcon Industrial Park Spencer, MA 01562 508-885-8200 www.flexcon.com	BUSart OV5020L	54"	Pressure-Sensitive	Soft Clear
	BUSart OV5040C	54"	Pressure-Sensitive	Clear
	FLEXmark OV 400	54"	Pressure-Sensitive	Clear Gloss
	FLEXmark OV 600 Safari	54"	Pressure-Sensitive	Frosty Clear
	FLEXmark OV 650	54"	Pressure-Sensitive	Clear Velvet
	FLEXmark OV 2500	54"	Pressure-Sensitive	Frosty Clear Pebble
	JETbond 44138	60"	Pressure-Sensitive	Frosty Clear
GBC 712 W. Winthrop Avenue Addison, IL 60101 800-772-9281 www.GBCconnect.com	AccuShield	38" - 61"	Thermal	Gloss, Matte
	Arctic Pressure-Sensitive Films	25" - 79"	Pressure-Sensitive	Photo, Gloss, Lustre, Matte, UV Cast Gloss, UV Cast Sand, Grain, Floor Mat, Write Erase, Graffiti, Polycarbonate, Textured Satin, Light Barrier
	Octiva Lo-Melt Films	38" - 51"	Low-Melt Thermal	TexturedSatin,White,Light Barrier,Embossed,Canvas, Heat Set
	Octiva Lo-Melt Films with PreLume	38" - 51"	Low-Melt Thermal	Gloss,Lustre,Matte,Matte Hardcoat,LustreHardcoat
	Octiva Thermal Films	38" - 61"	Thermal	Gloss,Lustre,Matte,Matte Hardcoat, Write Erase
General Formulations PO Box 158 309 South Union Sparta, MI 49345 800-253-3664 www.generalformulations.com	Concept 100 3.0mil PVC	38, 51, 54"	Pressure-Sensitive	Gloss
	Concept 101 3.0mil PVC	31, 38, 51, 54, 61"	Pressure-Sensitive	Luster
	Concept 102 3.0mil PVC	31, 38, 51, 54, 61"	Pressure-Sensitive	Matte
	Concept 103 5.0mil Polycarbonate	38, 51, 54, 61"	Pressure-Sensitive	Velvet
	Concept 104 15.0mil Polycarbonate	38, 51, 54, 61"	Pressure-Sensitive	Velvet
	Concept 105 2.0mil Optically Clear Polyester	31, 38, 51, 54, 61"	Pressure-Sensitive	High Gloss
	Concept 108 1.0mil Graffiti Resistant Tedlar	38, 51, 54"	Pressure-Sensitive	Satin
	Concept 109 5.0mil Scratch Resistant PVC	38, 51, 54"	Pressure-Sensitive	Velvet
Concept 111 2.0mil Dry Erase Polypropylene	38, 51, 54"	Pressure-Sensitive	High Gloss	
Hexis USA LLC 4375 Prado Road #106 Corona, CA 92880 951-739-5999 www.hexisusa.com	AG700	51.5, 54"	Anti-Graffiti	Gloss
	GSOL170	51.5"	Floor Laminate	Matt grained
	P836	54, 60"	Polyester, Optically Clear	Gloss
	PC30G2	54"	Cast Vinyl, PE-Liner	Gloss
	PC50MICP2	54"	Cast Vinyl, PET-Liner	Gloss
	PG880	48"	Polyester	Gloss
	V650	54, 61.5"	Promotional Vinyl	Matt, Gloss
	V700	54, 61.5, 64"	Intermediate Vinyl	Satin, Matt, Gloss
	V750	54, 64"	High Performance Vinyl	Matt, Gloss
	VR7077	-	Liquid Edge Sealant	Gloss

Company	Product Name	Width(s)	Type	Finish
KAPCO Graphic Products 1000 Cherry Street Kent, OH 44240 800-791-8963 www.kapco.com	1 mil PSA Clear Dry Erase Laminate	25, 38", 51, 54"	Pressure-Sensitive	Gloss
	1 mil PSA Gloss Polyester Laminate	36, 54"	Pressure-Sensitive	Gloss
	1 mil PSA Tedlar Laminate	38, 51, 54"	Pressure-Sensitive	Gloss
	2 mil PSA Gloss Cast Vinyl Laminate	38, 48, 54, 60"	Pressure-Sensitive	Gloss
	2 mil PSA Gloss Cast Vinyl Laminate - Polyester Liner	54"	Pressure-Sensitive	Gloss
	2 mil PSA Gloss Polyester Laminate	38, 51, 54"	Pressure-Sensitive	Gloss
	2 mil PSA Luster Cast Vinyl Laminate	38, 48, 54, 60"	Pressure-Sensitive	Luster
	2 mil PSA Matte Cast Vinyl Laminate	38, 48, 54, 60"	Pressure-Sensitive	Matte
	3 mil Gloss Low-Melt Thermal (1/2)	25, 38, 43, 51, 55, 62"	Thermal - Low-Melt	Gloss
	3 mil Heat-Assist Satin PVC	38, 51"	Thermal - Heat-Assist	Satin
	3 mil Heat-Assist Luster PVC	38, 51"	Thermal - Heat-Assist	Luster
	3 mil Satin Low-Melt Thermal (1/2)	25, 38, 43, 51, 55, 62"	Thermal - Low-Melt	Satin
	3 mil Matte Low-Melt Thermal (1/2)	25, 38, 43, 51, 55, 62"	Thermal - Low-Melt	Matte
	3.2 mil PSA Gloss Calendered UV Vinyl Laminate	25, 38, 43, 51, 54, 61"	Pressure-Sensitive	Gloss
	3.2 mil PSA Luster Calendered UV Vinyl Laminate	25, 38, 43, 51, 54, 61"	Pressure-Sensitive	Luster
	3.2 mil PSA Matte Calendered UV Vinyl Laminate	25, 38, 43, 51, 54, 61"	Pressure-Sensitive	Matte
	3.2 mil PSA Satin Calendered UV Vinyl Laminate	25, 38, 43, 51, 54, 61"	Pressure-Sensitive	Satin
	5 mil Gloss Low-Melt Thermal (2/3)	25, 38, 43, 51, 54, 61"	Thermal - Low-Melt	Gloss
	5 mil Hard Coat Luster Low-Melt Thermal (3/2)	38, 43, 51, 55"	Thermal - Low-Melt	Luster
	5 mil Heat-Assist Scuff-Resistant PVC	38, 51"	Thermal - Heat-Assist	Velvet Textured
	5 mil Matte Low-Melt Thermal (2/3)	25, 38, 42, 54"	Thermal - Low-Melt	Matte
	5 mil PSA Embossed Vinyl	38, 51, 54"	Pressure-Sensitive	Embossed Clear
	5 mil PSA Velvet Polycarbonate Laminate	38, 51"	Pressure-Sensitive	Velvet Textured
	5 mil Satin Low-Melt Thermal (2/3)	25, 38, 43, 51, 54, 61"	Thermal - Low-Melt	Satin
	6 mil Luster Textured Display Film Low-Melt Thermal	38, 51, 62"	Thermal - Low-Melt	Luster
	10 mil Gloss Low-Melt Thermal (4/6)	25, 38, 43, 51, 55, 62"	Thermal - Low-Melt	Gloss
	10 mil Hard Coat Luster Low-Melt Thermal (7/3)	25, 38, 51, 55"	Thermal - Low-Melt	Luster
	10 mil PSA Embossed Vinyl	38, 51, 54"	Pressure-Sensitive	Embossed Clear
	10 mil PSA Velvet Polycarbonate Laminate	38, 51"	Pressure-Sensitive	Velvet Textured
	15 mil PSA Velvet Polycarbonate Laminate	38, 51"	Pressure-Sensitive	Velvet Textured

Company	Product Name	Width(s)	Type	Finish
LexJet 1680 Fruitville Road, 3rd Floor Sarasota, FL 34236 800-453-9538 www.lexjet.com	2 Mil GraphicsGuard UV Gloss	38, 51"	Pressure-Sensitive	Gloss
	3 Mil Gloss UV Premium Low Melt	12, 25, 38, 43, 51, 55, 61"	Low-Melt	Gloss
	3 Mil GraphicShield UV Satin	35.5, 38, 41.5, 49.5, 51, 54, 61"	Pressure-Sensitive	Satin
	3 Mil Luster UV Standard Low Melt	25, 38, 43, 51, 55, 61"	Low-Melt	Luster
	3 Mil Matte UV Standard Low Melt	25, 38, 43, 51, 61"	Low-Melt	Matte
	3.2MilGraphicsGuardPremiumUVLusterw/PreLume	38, 51"	Pressure-Sensitive	Luster
	3.2 Mil GraphicsGuard UV Luster w/ PreLume	26, 31, 38, 43, 51, 55, 61"	Pressure-Sensitive	Luster
	3.2 Mil GraphicsGuard UV Matte w/ PreLume	38, 43, 51, 61"	Pressure-Sensitive	Matte
	4 Mil GraphicsGuard UV Textured	38, 51"	Pressure-Sensitive	Textured
	5 Mil ArmorGuard Ultra Low Gloss	38, 43, 51"	Low-Melt	Gloss
	5 Mil DisplayGuard Ti	38, 43, 51"	Low-Melt	Textured
	5 Mil Gloss UV Premium Low Melt	25, 38, 43, 51, 55"	Low-Melt	Gloss
	5 Mil Gloss UV Standard Low Melt	25, 38, 43, 51, 55"	Low-Melt	Gloss
	5 Mil Luster UV Standard Low Melt	25, 38, 43, 51"	Low-Melt	Luster
	5 Mil PreLume DisplayFlex	35.5, 38, 51"	Pressure-Sensitive	Textured
	5 Mil PreLume ExhibitGuard	38, 51"	Pressure-Sensitive	Textured
	10 Mil ArmorGuard Ultra Low Gloss	25, 38, 43, 51"	Low-Melt	Gloss
	10 Mil DisplayGuard Ti	38, 43, 51"	Low-Melt	Textured
	10 Mil Gloss UV Premium Low Melt	38, 43, 51"	Low-Melt	Gloss
	10 Mil Gloss UV Standard Low Melt	25, 38, 43, 51"	Low-Melt	Gloss
	10 Mil PreLume DisplayFlex	38, 51"	Pressure-Sensitive	Textured
	10 Mil PreLume ExhibitGuard	38, 51"	Pressure-Sensitive	Textured
	15 Mil PreLume DisplayFlex	31, 35.5, 38, 49.5, 51, 61"	Pressure-Sensitive	Textured
	15 Mil PreLume ExhibitGuard	38, 51"	Pressure-Sensitive	Textured
	CrystalEmboss	33, 38, 51"	Low-Melt	Textured
	DisplayGuard VI	38, 51"	Low-Melt	Textured
LexJet 1 Mil Gloss Dry Erasable	38, 54"	Pressure-Sensitive	Gloss/Dry Erasable	
LexJet 8 Mil PreLume T-Flex	25, 38, 51"	Pressure-Sensitive	Textured	
MActac 4560 Darrow Road Stow, Ohio 44224 866-262-2822 www.mactac.com	Permacolor RAYZor	54"	Pressure-Sensitive	Clear Gloss
	6300 Series Enhancers	60"	Pressure-Sensitive	Gloss: Crystal, Silver or Multicolor Flake
	IP6000 Series	31", 37", 51"	Pressure-Sensitive	Textured
	IP6100 Series	31", 37", 51"	Pressure-Sensitive	Textured
	IP6200 Series	31", 37", 51"	Pressure-Sensitive	Textured
	IP7000 Series	31", 37", 51", 61"	Pressure-Sensitive	Gloss
	IP7300 Series	31", 37", 42", 51", 61"	Pressure-Sensitive	Luster
	IP7200 Series	31", 37", 51", 61"	Pressure-Sensitive	Matte
	LF3680 Series	54", 60"	Pressure-Sensitive	Gloss
	LF3650 Series	54", 60"	Pressure-Sensitive	Matte

Company	Product Name	Width(s)	Type	Finish
<b>MACtac</b> 4560 Darrow Road Stow, Ohio 44224 866-262-2822 www.mactac.com	LF3640 Series	54"	Pressure-Sensitive	Gloss
	LF6560 Series	38", 43", 51", 55", 61", 79"	Pressure-Sensitive	Gloss
	LF6540 Series	38", 43", 51", 55", 61"	Pressure-Sensitive	Semi-Matte
	LF6550 Series	38", 43", 51", 55", 61", 79"	Pressure-Sensitive	Matte
	LF6530 Series	38", 43", 51"	Pressure-Sensitive	Textured
	PF6300 Series	41", 54"	Pressure-Sensitive	Textured
	PG7034 Series	37", 41", 51", 60"	Pressure-Sensitive	Gloss
	PG7281 Series	41", 51", 60"	Pressure-Sensitive	Gloss
	PG7282 Series	37", 41", 51", 60"	Pressure-Sensitive	Semi-Gloss
	PG7284 Series	37", 41", 51", 60"	Pressure-Sensitive	Semi-Matte
	PG7285 Series	37", 41", 51", 60", 76"	Pressure-Sensitive	Matte
	TL2030 Series	33", 38", 43", 51"	Thermal	Gloss
	TL2050 Series	33", 38", 43", 51"	Thermal	Gloss
	TL2100 Series	33", 38", 43", 51"	Thermal	Gloss
	TL4030 Series	33", 38", 43", 51"	Thermal	Satin
	TL5630 Series	33", 38", 43", 51"	Thermal	Matte
	TL5050 Series	33", 38", 43", 51"	Thermal	Matte
	TL5150 Series	33", 38", 43", 51"	Thermal	Matte
	TL5350 Series	38", 51"	Thermal	Textured
	TL5450 Series	38", 51"	Thermal	Textured
TL6150 Series	38", 51"	Thermal	Textured	
<b>Neshen Americas</b> 7091 Troy Hill Drive Elkridge, MD 21075 800-257-7325, Ext. 2 www.sealbrands.com	Floor Guard	38, 51"	Heat-Set	Textured
	Jet Guard Crystal Matte	38, 51, 55, 61"	Heat-Activated	Crystal Matte
	Jet Guard Deep Crystal	38, 51, 55, 61"	Heat-Activated	Deep Crystal
	Jet Guard UV Gloss 3 mil	25, 38, 43, 51, 55, 61"	Heat-Activated	Gloss
	Jet Guard UV Gloss 5 mil	25, 38, 43, 51, 55, 61"	Heat-Activated	Gloss
	Jet Guard UV Gloss 10 mil	25, 38, 51, 55"	Heat-Activated	Gloss
	Jet Guard UV Luster 3 mil	38, 43, 51"	Heat-Activated	Luster