

Polyester Fabric Resource Chart

| Company | Product | Weight (oz/yd2) | Width(s) | NFPA 701 | Inks Accepted | Indoor/Outdoor |
|--|-------------------------------|-------------------------------|------------------------------------|-------------------------|---------------------------------------|----------------|
| 3P Inkjet Textiles +49 (0)8036 905110 www.3p-inktextiles.com | IQ-IJ101 Universal Heavy FR | 4.21 | 36", 42", 50", 60" | Y | Dye, Pigment, Solvent, UV-Curable | In/Outdoor |
| | IQ-IJ103 Universal Light | 3.53 | 36", 42", 50", 60" | N | Dye, Pigment, Solvent, UV-Curable | In/Outdoor |
| | IQ-IJ283 EXPRESS Heavy Banner | 5.9 | 36", 42", 50", 54", 60", 72" | N | Dye, Pigment, UV-Curable, Sublimation | In/Outdoor |
| | IQ-IJ290 Polyester | 5.46 | 36", 42", 50", 54", 60", 72" | Y | Dye, Pigment, UV-Curable, Sublimation | In/Outdoor |
| | IQ-IJ404 SolventFlag CS | 5.46 | 36", 54", 60", 72", 87", 98", 122" | Y | Solvent, UV-curable, Sublimation | In/Outdoor |
| | IQ-IJ294 Polysport | 4.37 | 36", 42", 50", 54", 60", 72" | Y | Dye, Pigment, UV-Curable, Sublimation | In/Outdoor |
| | IQ-IJ295 Polygloss CS | 5.9 | 36", 42", 50", 54", 60", 72" | Y | Dye, Pigment, UV-Curable, Sublimation | In/Outdoor |
| | IQ-IJ296 Polyvoile | 3.67 | 36", 42", 50", 54", 60", 72" | Y | Dye, Pigment, UV-Curable, Sublimation | In/Outdoor |
| | IQ-IJ297 Polynet | 3.99 | 36", 42", 50", 54", 60", 72" | Y | Dye, Pigment, UV-Curable, Sublimation | In/Outdoor |
| | IQ-IJ350 FlagTex | 5.46 | 36", 42", 50", 54", 60", 72" | N | Pigment, UV-Curable, Sublimation | In/Outdoor |
| | IQ-IJ351 MeshTex | 8.55 | 36", 42", 50", 54", 60", 72" | N | Pigment, UV-Curable, Sublimation | In/Outdoor |
| | IQ-IJ408 SolventFlag | 5.46 | 36", 54", 60", 72", 87", 98", 122" | N | Solvent, UV-Curable, Sublimation | In/Outdoor |
| | IQ-IJ411 TruColor Spinnaker | 2.15 | 42", 54", 64", 72", 122" | N | Solvent, UV-Curable | In/Outdoor |
| | IQ-IJ418 TruColor Voile | 3.68 | 42", 54", 64", 72" | Y | Solvent, UV-Curable | In/Outdoor |
| | IQ-IJ420 TruColor Flag CS | 5.45 | 42", 54", 64", 72" | Y | Solvent, UV-Curable | In/Outdoor |
| | IQ-IJ422 TruColor Flag | 5.45 | 42", 54", 64", 72", 87", 122" | N | Solvent, UV-Curable | In/Outdoor |
| IQ-IJ423 TruColor Banner Gloss | 4.42 | 42", 54", 64", 72", 87", 122" | N | Solvent, UV-Curable | In/Outdoor | |
| IQ-IJ433 TruColor Heavy Banner | 7.07 | 42", 54", 64", 72", 98", 122" | N | Solvent, UV-Curable | In/Outdoor | |
| IQ-IJ650 FlagTex Oil | 5.46 | 36", 42", 50", 54", 60", 72" | N | Sublimation, Oil | In/Outdoor | |
| Bainbridge 781/821-2600 www.bainbridgeint.com | Baintex 18x18 Mesh | 8.5 | 80" | N | Solvent, Screen | In/Outdoor |
| | PPP 600 Duck | 6.2 | 60" | N | UV-Curable, Sublimation | In/Outdoor |
| | PPP Dacron UV Insignia | 9.0 | Nominal 54" | N | Solvent, Screen | In/Outdoor |
| | PPP DuoPrint | 3.8 | Nominal 54" | N | UV-Curable, Sublimation | In/Outdoor |
| | PPP Gaming Cloth | 6.1 | 60" | N | UV-Curable, Sublimation | In/Outdoor |
| | PPP Poly 250 | 3.0 | Nominal 60" | N | UV-Curable, Sublimation | In/Outdoor |
| | PPP Poly Satin | 3.8 | Nominal 54" | N | UV-Curable, Sublimation | Indoor |
| | PPP PolyKnit | 2.8 | Nominal 60" (120" 180" s/order) | N | UV-Curable, Sublimation | In/Outdoor |
| | PPP Poplin | 3.5 | Nominal 60" | N | UV-Curable, Sublimation | In/Outdoor |
| PPP Poplin FR | 3.5 | Nominal 60" | Y | UV-Curable, Sublimation | In/Outdoor | |
| Dickson Coatings 404/495-5994 www.dickson-coatings.com | Evergreen: Eclipse | 13.0 | 59" | Y | Solvent, Eco-Solvent, UV-Curable | Indoor |
| | Evergreen: Jet 220 | 7.0 | 54", 124" | Y | Solvent, Eco-Solvent, UV-Curable | In/Outdoor |
| | Evergreen: Jet Tex | 7.0 | 54", 120" | Y | Solvent, Eco-Solvent, UV-Curable | Indoor |
| | Evergreen: Skylite | 7.0 | 57" | Y | Solvent, Eco-Solvent, UV-Curable | Indoor |
| DigiFab Systems Inc. 877-DigiFab www.digifab.com | MirrorBanner | 3.1 | 42", 54", 60" | Optional | Pigment, Sublimation, Disperse | In/Outdoor |
| | Polyweave Heavy | 6.3 | 36", 42", 54", 60" | Y | Pigment, Sublimation, Disperse | In/Outdoor |
| | Polyweave Light | 4.0 | 36", 42", 54", 60" | Y | Pigment, Sublimation, Disperse | In/Outdoor |
| | Polyweave Ultra Heavy | 7.9 | 54", 63", 72" | Optional | Solvent | In/Outdoor |
| | Brushed Gaming | 5.0 | 60" | Optional | Sublimation, Disperse | In/Outdoor |
| Glen Raven Custom Fabrics 336/221-2211 Fabricmedia.glenraven.com | Poly Light 3 | 3.0 | 54", 60" | N | Solvent, Eco-Solvent, UV | In/Outdoor |
| | Poly Oxford 8 | 8.0 | 54", 60", (122" spec. order) | N | Solvent, Eco-Solvent, UV | In/Outdoor |
| Fisher Textiles 704/821-8870 www.fishertextiles.com | 4417 Soft Knit | 5.2 | 61", 122" | Y | UV-Curable, Sublimation | Indoor |
| | 4480 Heavy Knit | 9.5 | 61", 122" | Y | UV-Curable, Sublimation | Indoor |
| | 4949 Poly Crepe | 8.0 | 58" | Y | Sublimation | Indoor |
| | AQ 450 Micro Poly | 3.2 | 60" | N | Dye, Pigment | Indoor |
| | AQ 460 Poly Taffeta | 2.5 | 60" | N | Dye, Pigment | Indoor |
| | AQ 510 Poly Duck | 6.2 | 60" | N | Dye, Pigment | Indoor |
| | Crazy 8 Billiard Cloth | 10.75 | 61" | Can be Coated | UV-Curable, Sublimation | Indoor |
| | DI 2400 Poly Satin | 4.0 | 60" | Y | Dispersed | Indoor |

Polyester Fabric Resource Chart

| Company | Product | Weight (oz/yd2) | Width(s) | NFPA 701 | Inks Accepted | Indoor/Outdoor |
|--|---------------------------------|-----------------|---------------------|---------------|-------------------------|----------------|
| Fisher Textiles (cont.) | DI 8700 Firesafe | 3.8 | 60", 72" | Y | Dispersed | In/Outdoor |
| | DI 6100 Poly Duck | 6.0 | 60", 72" | N | Dispersed | In/Outdoor |
| | DI 9500 Poly Silk | 2.1 | 60" | N | Dispersed | Indoor |
| | DI 4500 Soft Knit | 5.2 | 60" | Y | Dispersed | Indoor |
| | ES 300 Thermal Banner | 5.7 | 58" | N | Eco-Solvent | Indoor |
| | ES 400 Lite Poly | 4.5 | 58" | N | Eco-Solvent | Indoor |
| | GF 4201 Flag | 3.2 | 60", 120" | Y | UV-Curable, Sublimation | In/Outdoor |
| | GF 4308 Art Canvas | 10.0 | 63", 80", 98", 126" | N | Solvent | Indoor |
| | GF 4607 Power Stretch | 8.8 | 122" | Can be Coated | UV-Curable, Sublimation | Indoor |
| | GF 4707 Poly Suede | 8.0 | 120" | Y | UV-Curable, Sublimation | Indoor |
| | GF 8799 Firesafe | 6.6 | 60", 72", 125" | Y | UV-Curable, Sublimation | In/Outdoor |
| | SI 2420 Venice Satin | 5.5 | 60" | Can Be Coated | Solvent | In/Outdoor |
| | SI 2500 Dacron | 4.0 | 60" | Can Be Coated | Solvent | In/Outdoor |
| | SI 6000 Duck | 7.0 | 60" | Can Be Coated | Solvent | In/Outdoor |
| | SI 8300 Hercules | 7.0 | 60" | Can Be Coated | Solvent | In/Outdoor |
| SI 8800 Firesafe 2 | 4.0 | 60", 72" | Y | Solvent | In/Outdoor | |
| Hi-Tech Textiles 214/649-0202 www.hitechtextiles.com | Pearl | 4.0 | 61", 122" | M1 | Solvent, UV | Indoor |
| | Backdrop-Light Canvas | 6.6 | 61", 122" | M1 | Solvent, UV | Indoor |
| | Wind-Rip Stop | 3.0 | 59", 118" | N | Solvent, UV | In/Outdoor |
| | Texi | 5.8 | 61", 122" | N | Solvent, UV | In/Outdoor |
| | Bi-Night-Double Sided Block-Out | 9.4 | 61", 122" | M1 | Solvent, UV | Indoor |
| | Theater-Smooth Block-Out | 8.5 | 61", 122" | M1 | Solvent, UV | Indoor |
| | Flag | 3.2 | 61", 122" | N | Solvent, UV | In/Outdoor |
| | Shiny-Pearlescent Finish | 3.5 | 61", 122" | N | Solvent, UV | Indoor |
| | High Drop-High Res. Canvas | 6.6 | 61" | | Solvent, UV | Indoor |
| | Strom-High Res. Rip-Stop | 2.5 | 61" | | Solvent, UV | Indoor |
| | Skin-High Res. | 4.1 | 61", 122" | | Solvent, UV | Indoor |
| | DecoPrint Brusan | 12.1 | 57" | M1 | Solvent, UV | Indoor |
| Ibena 864/587-0098 www.ibena.com | PES canvas T 155 | 4.6 | 80", 126" | Y | All | In/Outdoor |
| | PES canvas T 300 | 9.0 | 54", 80", 126" | Y | All | In/Outdoor |
| | Photo canvas CS 340 | 10.0 | 126" | Y | All | In/Outdoor |
| | PES Monostretch Twill | 8.5 | 65", 96" | Y | All | In/Outdoor |
| | PES Glossyfab Twill | 5.0 | 126" | Y | All | In/Outdoor |
| | PES Flag with Paperbacking | 2.1 | 45" | Y | All | In/Outdoor |
| | Fugalite Light Translucent | 2.5 | 79" | Y | All | In/Outdoor |
| IntelliCoat 413/539-5172 www.intellicoat.com | Magic DMPC17 | 5.6 | 36", 50" | N | Dye, Pigment | Indoor |
| | Magic FAB6 | 3.3 | 36", 42", 50" | N | Dye, Pigment | Indoor |
| | Magic FAB6 SJ | 3.3 | 36", 50" | N | Solvent | Indoor |
| Jacquard 707/473-9080 www.inkjetfabrics.com | High Point Polyester Poplin | — | All widths to 60" | N | All, Disperse | In/Outdoor |
| | Matte Polyester Poplin | — | All widths to 60" | N | All, Disperse | In/Outdoor |
| | Matte Polyester Satin | — | All widths to 60" | N | All, Disperse | In/Outdoor |
| | Med. Luster Poly Broadcloth | — | All widths to 60" | N | All, Disperse | In/Outdoor |
| | Polyester Banner | — | All widths to 60" | N | All, Disperse | In/Outdoor |
| | Polyester Flag | — | All widths to 60" | N | All, Disperse | In/Outdoor |
| | Polyester Mesh | — | All widths to 60" | N | All, Disperse | In/Outdoor |
| | Polyester Sheer Ribbed Mesh | — | All widths to 60" | N | All, Disperse | In/Outdoor |
| | Polyester Satin | — | All widths to 60" | N | All, Disperse | In/Outdoor |
| L&P 904/249-1131 www.lp-digital.com | VirtuDuck | 7.0 | 60", 98", 120" | Y | UV-Curable, Sublimation | Indoor |

Polyester Fabric Resource Chart

| Company | Product | Weight (oz/yd2) | Width(s) | NFPA 701 | Inks Accepted | Indoor/Outdoor |
|--|----------------------------------|-----------------|-------------------------------------|----------------------------------|---|----------------|
| L&P (cont.) | VirtuMesh | 8.0 | 60", 98", 120" | Y | UV-Curable, Sublimation | In/Outdoor |
| | VirtuOpen Weave | 1.8 | 60", 98", 120" | Y | UV-Curable, Sublimation | Indoor |
| | VirtuPoly Fab | 1.5 | 60", 98" | Y | UV-Curable, Sublimation | Indoor |
| | VirtuPoplin | 4.19 | 60", 98" | Y | UV-Curable, Sublimation | Indoor |
| | VirtuReverse Satin | 3.0 | 60", 98", 120" | Y | UV-Curable, Sublimation | In/Outdoor |
| | VirtuSheer | 2.25 | 60", 98" | Y | UV-Curable, Sublimation | Indoor |
| | VirtuSatin | 4.4 | 60", 98", 120" | Y | UV-Curable, Sublimation | In/Outdoor |
| | VirtuTwill | 6.9 | 60" | Y | UV-Curable, Sublimation | Indoor |
| Neschen Accutech 888/490-4232 www.neschen-accutech.com | Artist 250 | 8.2 | 126", 197" | Y | Solvent, Eco-Solvent, UV-Curable | In/Outdoor |
| | Artist 310 | 9.1 | 126", 197" | Y | Solvent, Eco-Solvent, UV-Curable | In/Outdoor |
| | Artist Banner Heavy | 8.5 | 54", 60", 71", 80", 98", 122", 198" | Y | Solvent, Eco-Solvent, UV-Curable | In/Outdoor |
| | Artist Banner Light | 5.8 | 54", 60", 71", 80", 98", 122", 198" | Y | Solvent, Eco-Solvent, UV-Curable | In/Outdoor |
| | Artist Premium Canvas | 14.5 | 54", 60" 122" | Y | Solvent, Eco-Solvent, UV-Curable | In/Outdoor |
| | Digital Projection | 2.2 | 122", 198" | Y | Solvent, Eco-Solvent, UV-Curable | In/Outdoor |
| | Double Sided Satin | 14.7 | 56" | Y | UV-Curable, Sublimation | In/Outdoor |
| | Flock Cloth | 7.1 | 54" | Y | Solvent, UV-Curable, Sublimation | In/Outdoor |
| | Gaming Felt | 5.1 | 55" | Y | UV-Curable, Sublimation | In/Outdoor |
| | No-Lite Black Back | 8.3 | 54" | Y | UV-Curable, Sublimation | In/Outdoor |
| | PES Crystal Plus 1 | 4.2 | 80", 122", 198" | Y | Solvent, Eco-Solvent, UV-Curable | In/Outdoor |
| | PES Flag Plus 2 | 3.6 | 80", 122", 198" | Y | Solvent, Eco-Solvent, UV-Curable | In/Outdoor |
| | Premium Poplin | 7.1 | 59", 118" | Y | Sublimation | In/Outdoor |
| | Pro Poplin | 6.2 | 59", 122" | Y | Solvent, Eco-Solvent, UV-Curable, Sublimation | In/Outdoor |
| | Samba Plus | 5.9 | 60" | Y | Solvent, Eco-Solvent, UV-Curable | In/Outdoor |
| | Satin Heavy | 8.3 | 61", 98" | Y | UV-Curable, Sublimation | In/Outdoor |
| | Satin Light | 3.2 | 59" | | Sublimation | In/Outdoor |
| | Softimage | 6.2 | 122", 198" | Y | Solvent, Eco-Solvent, UV-Curable | In/Outdoor |
| | Standard Poplin / Stretch Poplin | 7.4 / 5.9 | 59" | | Sublimation | In/Outdoor |
| | TCS 200 Plus 2 / TCS 300 Plus 2 | 5.9 / 8.8 | 80", 122", 198" | Y | Solvent, Eco-Solvent, UV-Curable | In/Outdoor |
| | TCS Flag | 3.2 | 54", 60", 79" | Y | Solvent, Eco-Solvent, UV-Curable | In/Outdoor |
| | TCS Flag Plus | 3.2 | 80", 122", 198" | Y | Solvent, Eco-Solvent, UV-Curable | In/Outdoor |
| | TCS Gauze | 3.9 | 122" | Y | Solvent, UV-Curable, Sublimation | In/Outdoor |
| | TCS Knit Voile | 1.4 | 59", 122" | Y | Solvent, Eco-Solvent, UV-Curable, Sublimation | In/Outdoor |
| TCS Taft Plus 1 | 2.6 | 80", 122", 198" | Y | Solvent, Eco-Solvent, UV-Curable | In/Outdoor | |
| TCS Voile Plus | 1.3 | 80", 122", 198" | Y | Solvent, Eco-Solvent, UV-Curable | In/Outdoor | |
| Textile Mesh | 3.8 | 56" | Y | Sublimation | In/Outdoor | |
| Theatre 310 | 8.5 | 80", 122", 198" | Y | Solvent, Eco-Solvent, UV-Curable | In/Outdoor | |
| Océ North America 888/503-2235 www.oceusa.com | Océ Mesh Banner / OBMESH | 6.8 | 36" | N | Dye, Pigment | In/Outdoor |
| | Océ Polyester Banner / TBPE71 | 3.0 | 36" | Y | Dye, Pigment | Indoor |
| | Océ Polyester Banner / TBPE110 | 4.6 | 36" | Y | Dye, Pigment | Indoor |
| ThortelDigital 800/526-2800 | Dynajet B320DS Double-sided | 9.0 | 54", 63", 122" | Y | Solvent, Eco-Solvent | Indoor |
| | Dynajet E240 Coated Canvas | 7.0 | 54", 63", 122" | Y | Solvent, Eco-Solvent | In/Outdoor |
| | Dynajet L110 Backlit | 3.75 | 54", 63", 122" | Y | Solvent, Eco-Solvent | In/Outdoor |
| | Dynajet Velcro Compatible | 5.0 | 54", 63", 122" | Y | Solvent, Eco-Solvent | In/Outdoor |